

4

KEYANG 4-CYCLE ENGINE



G270 G350
G510 G710
G810





: 080-023-8204()

- 4
- 7
- 8
- 8
- 9
- 10
- 12
- 13
- 13
- 14
- 15
- 17
- 17
- 18
- 19
- 22
- 23


가



1.



가	가	가 가



가 가 , .

(가 10 가) ,

가 ,

가 , 가

가 가 가

가 가

가 가



가



가 가

가

가


가

(30)
가

()

가 가

가




2.




1. ()

(Semi Dry Type)



(Oil Bath Type)




2.



1.

2.



3.

	G270, G350	G510	G710, G810
(l)	0.6	0.7	0.9

4.

SC

(TEMPERATURE)	0		15	30
	SAE # 5W20 OR 10W	SAE # 20W OR # 20	SAE # 30	SAE # 40



	G270	G350	G510	G710	G810
(l)	3.0	3.0	5.0	5.0	5.0



() P TYPE

	G270L(P)	G350L(P)	G510L(P)
	4 가		
x (mm)	60 × 42	60 × 50	60 × 53
(cc)	118	141	192
	6.2:1		
(ps/rpm)	2.2/1,800(2.2/3,600)	2.5/1,800(2.5/3,600)	3.5/1,800(3.5/3,600)
(ps/rpm)	2.7/2,000(2.7/4,000)	3.0/2,000(3.0/4,000)	5.0/2,000(5.0/4,000)
(kg-m/rpm)	1.02/1,600(0.51/3,200)	1.32/1,500(0.66/3,000)	1.86/1,600(0.93/3,200)
(kg)	13	14	17
	「 」		
	NGK BP6HS		NGK BP4HS
(l)	3.0	3.0	5.0
	0.6	0.6	0.7
	1/2 ()		
(V-W)	6 ~ 8-15()		
	SC		

() P TYPE


	G710L(P), G710L-E []	G810L(P), G810L-E []
	4 가	
x (mm)	76 × 59	60 × 50
(cc)	267	141
	6.2:1	
(ps/rpm)	5.5/1,800(5.5/3,600)	6.5/1,800(6.5/3,600)
(ps/rpm)	7.0/2,000(7.0/4,000)	8.0/2,000(8.0/4,000)
(kg-m/rpm)	2.8/1,400(1.4/2,800)	3.0/1,400(1.5/2,800)
(kg)	20, 29 []	20, 29 []
	「 」	
	NGK BP4HS	
(l)	5.0	5.0
	0.9	0.9
	1/2 ()	
	, []	
(V-W)	6 ~ 8-15()	
	12V ~ 4A []()	
	SC	

3.



1



2



3



4

가



가 3 (ON)



가 가 가


1)

(

2)

.)

5




1)

(OFF)

2)

(2~3)

가




가 (30)



가

2. 25

25
.(-4)



-4

3. 50

.(-5)

		NGK	CHAMPION	DENSO
	G270	BP6HS	L87YC	W20FP
	G350			
	G510 G710, G810	BP4HS	L92YC	-

-5


(-6)



-6

4. 100


.(-7)



-7

•

.(-8)



-8



A/S


•

1) 30

가

가

.(-9)




-9

2)

3)

(10cc)

.(-10)



-10

•

1. MTI



MTI

MTI: Mitsubishi Transistor Ignitor

 가

 .

 .

 가




	가 ?	•
	가 ?	• 가
	?	•
	가 ?	•
	가 ?	•
	가 ?	• , ,
	가 ?	• 가
	?	•


 가
가 A/S ()



1.



2.





A large, empty rectangular area with rounded corners, intended for writing notes. A thin black line forms the border of this area.



A large, empty rectangular area with rounded corners, intended for writing notes. A thin black line forms the border of this area.

			G270, G350, G510, G710, G810	
		NO.		
(/)			1	

- 가
- 1 A/S
- 1
- A/S

() / 0.2mm()

()

1.		
2.		()
3.	()	()

KEYANG

계양전기주식회사

KEYANG ELECTRIC MACHINERY CO., LTD.
823-2 TEL: (031)490-3000 FAX: (031)490-3019

- (02)757-8143 ~ 4 • (031)490-3022
- (053)253-8141 • (051)319-0981 ~ 3
- (042)632-8141,3 • (062)511-5385 ~ 6
- (033)745-8141

1588-0666	080-023-8204
가	080-545-0989



()

()

()

			G270, G350, G510, G710, G810	

啓洋電機株式會社 

73 4

:
:
:
:
:
:
:

()



1588-0666

가

080-023-8204

080-545-0989

KEYANG 계양전기주식회사
KEYANG ELECTRIC MACHINERY CO., LTD.

823-2 TEL: (031)490-3000 FAX: (031)490-3019

- : (02)757-8143
- : (053)253-8141
- : (042)632-8141
- : (033)745-8141
- : (031)490-3022
- : (051)319-0981
- : (062)511-5385